

General information

Remover name	Erik van der Linde		
Project code	CBF301		
Project name	Miscanthus - Erik van der Linde		
Location	Ruinerwold, NL		
Area	0.98	ha	
Starting year	2025		year of planting
Duration	10	years	estimated permanence of removal and storage
Holding pool	20%		freed up when measurements confirm projection pathways
Project emissions	0.37	tCO2/ha/year	LCA estimate (miscanthus protocol)

Per hectare

Baseline TEC	488	tCO2/ha	Soil Organic Carbon and Above Ground Carbon, following CDM AR-ACM0003
Reference capacity	540	tCO2/ha	Using CEDA and Soil sample data
Storage potential	52	tCO2/ha	Projection -/- baseline

Per project

Projected storage	51	tCO2	storage potential per ha x area x storage duration 100 year equivalent
LCA emissions	4	tCO2	project related emissions
Net storage potential	47	tCO2	project storage -/- emissions over 20 years

Removal credits issued

Holding Pool	9	certificates	20% of the net storage potential
Credits issued	38	credits	38.78 /ha

Field Code	Field name	Size (ha)	Owner	
001	CBF301	0.98	Erik van der Linde	

#	Field code	Field	Year	Date	Sample depth (cm)	SOC/AGB/REF	Carbon (g/kg)	AGB (tCO2/ha)	Sample/report nr.
001	001	CBF301	2025	04-17-2025	30	SOC	37.4		767777/006652607
002	001	CBF301	2020	01-01-2020		AGB		0.511	ESA Satellite data 2010-2020
003		#N/A	1899						
004		#N/A	1899						
005		#N/A	1899						
006		#N/A	1899						
007		#N/A	1899						
009		#N/A	1899						
010		#N/A	1899						
011		#N/A	1899						
012									
013									
014									
015									

Erik van der Lipde (2025).kml

Year	Above Ground Biomass (Mg/ha)	Carbon (Mg/ha)	CO2 Equivalent (Mg/ha)
2010	0.316	0.158	0.579
2017	0.680	0.340	1.247
2018	0.041	0.021	0.075
2019	0.295	0.148	0.541
2020	0.062	0.031	0.113
Average	0.279	0.139	0.511

Carbon Calculation for		CBF301									
Surface	0.98	ha	Fields tab								
Capacity Reference SOC	513.92	tCO2e/ha	References tab								
Capacity Reference BGB	26.00	tCO2e/ha	References tab								
	2025		2028		2031		2034		2037		
Measurement average	37.4	SOC g/kg	#DIV/0!	SOC g/kg	#DIV/0!	SOC g/kg	#DIV/0!	SOC g/kg	#DIV/0!	SOC g/kg	
Sample depth	30	cm	#DIV/0!	cm	#DIV/0!	cm	#DIV/0!	cm	#DIV/0!	cm	
Calculation depth	30	cm		30	cm		30	cm		30	cm
Soil density	1.186	g/cm3	#DIV/0!	g/cm3	#DIV/0!	g/cm3	#DIV/0!	g/cm3	#DIV/0!	g/cm3	
SOC (soil carbon) / ha	488	tCO2e/ha	#DIV/0!	tCO2e/ha	#DIV/0!	tCO2e/ha	#DIV/0!	tCO2e/ha	#DIV/0!	tCO2e/ha	
BGB (belowground) / ha	0.00	tCO2e/ha	#DIV/0!	tCO2e/ha	#DIV/0!	tCO2e/ha	#DIV/0!	tCO2e/ha	#DIV/0!	tCO2e/ha	
Storage current	478	tCO2e	#DIV/0!	tCO2e	#DIV/0!	tCO2e	#DIV/0!	tCO2e	#DIV/0!	tCO2e	
Storage capacity	529	tCO2e		2,463	tCO2e		2,463	tCO2e		2,463	tCO2e
	storage	baseline	capacity								
2025	478	478	529								
2028	#DIV/0!	478	529								
2031	#DIV/0!	478	529								
2034	#DIV/0!	478	529								
2037	#DIV/0!	478	529								

Sources								
value	source	URL	Notes					
CEDA aboveground biomass carbon	https://climatee	https://datacedag	2018 data					
SOC	A critical review of the conventional SOC to SOM conversion factor (Geoderma, Volume 156, Issues 3–4, 15 May 2010, Pages 75-83)							
Density	Wageningen U	https://edepot.wu	We've added these soil density levels to the calculation factors tab					
Reference data for capacity		Unit	Source					
SOC (soil)	2.6	tCO ₂ e/ha/yr	Kahle et al., 2001; McCalmont et al., 2015; Felten & Emmerling, 2012; LCA Terra Vesta. Basis: gigantheum					
BGB (belowground)	2.6	tCO ₂ e/ha/yr	Kahle et al., 2001					

