

General information

Remover name	Krispijn van den Dries		
Project code	MTML001		
Project name	Metamorphosis		
Location	Noordoostpolder		
Area	1.20	ha	
Start year	2024		
Duration	20	years	estimated permanence of removal and storage
Holding pool	20%		freed up when measurements confirm projection pathways
Project emissions	20%		LCA estimate, or specified when >20%

Per hectare

Baseline TEC	252	tCO ₂ /ha	Soil Organic Carbon and Above Ground Carbon, following CDM AR-ACM0003
Reference capacity	472	tCO ₂ /ha	Using CEDA and Soil sample data
Storage potential	221	tCO ₂ /ha	Projection -/- baseline

Per project

Projected storage	265	tCO ₂	storage potential per ha x area
LCA emissions	53	tCO ₂	project related emissions
Net storage potential	212	tCO ₂	project storage -/- emissions over 20 years

Removal credits issued

Units first 12 years	127	units	12/20 x net storage potential
Holding Pool	25	units	20% of the first 12 years
Potential units issued	102	units	

Goeree Overflakkee 1 & 2			
Field Code	Field name	Size (ha)	Owner
BRO-L-001	C 3554 hedges	0.516	Krispijn van den Dries
BRO-L-002	C 1128 Hedges	0.504	Krispijn van den Dries
BRO-L-003	C 3262 Hedges	0.18	Krispijn van den Dries
BRO-L-004	Reference - Perceel 4.6 middelstuk	x	Krispijn van den Dries

#	Field code	Field	Year	Date	Sample depth (cm)	SOC/AGB/REF	Carbon SOC %	Size (ha)	AGB (tCO2/ha)	AGB (tBiomass/ha)	Sample/report nr.	Sumproduct	Notes
Q64.2	MTM-L-005	C 3554 minus hedges	2024	21/12/2024	25	SOC	1.6175	0.516				0.83463	43% of Hedges
			2020			AGB		0.516	0.29	0.18		0.14964	
Q65.2	MTM-L-006	C 1129 - Minus Hedges	2024	21/12/2024	25	SOC	1.6175	0.504				0.81522	42% of Hedges
			2020			AGB		0.504	1.19	0.65		0.59978	
Q22.2	MTM-L-007	C 3262 - Minus Hedges	2024	21/12/2024	25	SOC	1.6175	0.18				0.29115	18% of Hedges
			2020			AGB		0.18	2.446055	1.333		0.4402899	
	GBDLO2-REF [1]	Harichstedyk 54 A Wink - reference	2024			REF	3.54	0					
			2020			REF		0					

SOC sampling to be made by farmer on the hedges specifically, mixing them, taking sample from that and sending for sample for result, and that will be the corresponding SOC% value used in the above.

AGB to be calculated:

- AGB from the regular agr field will assume a change of 0 AGB, over time
- From the gross KML file, the onora AGB tool will provide AGB values, which if increased over time, will assume the change is due to the hedges alone
- This will be issued ex-post, not ex-anti as per usual

Hedges of 2m for 6km so 1.2 hectares of food forest
 Assume 10 meters, 110 tons of woody biomass
 Assume 2 tons per hectare of SOC expected on these
 Hedge of 2 meter high by 1m
 To estimate the volume of wood in a hedge that is 2 meters high, 1 meter wide, and has 3 trees per meter, we
 need to make some rough assumptions based on typical hedge growth and tree spacing.
 Here's a breakdown of how to think about it:
 ## 1. "Total Length of the Hedge:"
 Since you have 3 trees per meter, and the hedge is 1 meter long, there will be 3 trees total in that meter.
 ## 2. "Approximate Volume of Wood:" - A rough estimate is that the total volume of wood in a hedge d
 So approximately 12 liters per meter Use 10 liters/2 to get to average carbon per liter of wood Times 3.67 to
 get to co2
 So approximately 12 liters per meter
 Use 10 liters/2 to get to average carbon per liter of wood
 Times 3.67 to get to co2
 Times 6000 meters 110 tons of co2
 Divided by 53 hectares is 2 tons per hectare

What this means is that the AGB is basically 0, except we add the AGB for what the hedges will bring in.

*TO DO = CHECK OVER THE SOC REFERENCE FOR CLOSER VALUE

Hertenweg will not have Hedges, thus the different AGB value present.

AGB WILL BE CALCULATED FROM THE OG LAND AREA KML FILES
 BY DETERMINING THE DIFFERENCE OF THE AGB, THAT IS NEW AGB

SOC% is a reference of the SOC readings from the first samples of the fields
 in the future, wedge specific soil samples will be done.

Baseline AGB is the average of AGB samples from existing farm, pre the hedges

HEDGES OUTLINED:

Hedges Description: A 2-meter high hedge running for 6 kilometers, covering 1.2 hectares of food forest.
Woody Biomass: Each 10-meter segment of hedge has 110 tons of woody biomass.
Soil Organic Carbon (SOC): You expect about 2 tons of SOC per hectare from these hedges.
Hedge Volume Calculation:
 The hedge is 1 meter wide with 3 trees per meter.
Wood Volume Estimate: Each meter of hedge contains approximately 12 liters of wood.
Carbon per liter is roughly 5 liters of carbon per meter, multiplied by 3.67 to convert to CO2.
Total CO2 sequestration from the hedge: 110 tons per 6000 meters.
 For 53 hectares of land, this results in an average of 2 tons of CO2 per hectare.
 Underneath will not have hedges, thus the different AGB value present.

Sources			
value	source	URL	Notes
CEDA aboveground biomass carbon		https://data.ceda.ac.uk/metadata	2018 data
SOC			A critical review of the conventional SOC to SOM conversion factor (Geoderma Volume 156, Issues 3–4, 15 May 2010, Pages 75–83)
Density	Wageningen University	https://edepot.wur.nl/7521	We've added these soil density levels to the calculation factors tab
Reference data for capacity			
SOC (soil)	3.54	C g/kg	*taken from voedselbos
AGB (above ground)	125	1000t/ha	NMVB, 2023 https://www.google.com/url?https://www.voedselbosbouw.org/media/documents/Rapport_NMVB_Drie_Jaar_Voedselbosbouw_w2020.pdf&sa=D&source=editor&ust=17418763895987948.usg=AOvVay12YcU3G0nHlytZNBxR

from C to CO2	3.698666667		
soil density	% organic matter	% organic carbon	soil density
1.59	0.5	0.25	1.59
1.583	0.6	0.3	1.583
1.576	0.7	0.35	1.576
1.569	0.8	0.4	1.569
1.562	0.9	0.45	1.562
1.555	1	0.5	1.555
1.548	1.1	0.55	1.548
1.541	1.2	0.6	1.541
1.534	1.3	0.65	1.534
1.527	1.4	0.7	1.527
1.52	1.5	0.75	1.52
1.513	1.6	0.8	1.513
1.506	1.7	0.85	1.506
1.499	1.8	0.9	1.499
1.492	1.9	0.95	1.492
1.485	2	1	1.485
1.478	2.1	1.05	1.478
1.471	2.2	1.1	1.471
1.464	2.3	1.15	1.464
1.457	2.4	1.2	1.457
1.45	2.5	1.25	1.45
1.444	2.6	1.3	1.444
1.438	2.7	1.35	1.438
1.432	2.8	1.4	1.432
1.426	2.9	1.45	1.426
1.42	3	1.5	1.42
1.414	3.1	1.55	1.414
1.408	3.2	1.6	1.408
1.402	3.3	1.65	1.402
1.396	3.4	1.7	1.396
1.39	3.5	1.75	1.39
1.385	3.6	1.8	1.385
1.38	3.7	1.85	1.38
1.375	3.8	1.9	1.375
1.37	3.9	1.95	1.37
1.365	4	2	1.365
1.36	4.1	2.05	1.36
1.355	4.2	2.1	1.355
1.35	4.3	2.15	1.35
1.345	4.4	2.2	1.345
1.34	4.5	2.25	1.34
1.335	4.6	2.3	1.335
1.33	4.7	2.35	1.33
1.325	4.8	2.4	1.325
1.32	4.9	2.45	1.32
1.315	5	2.5	1.315
1.31	5.1	2.55	1.31
1.305	5.2	2.6	1.305
1.3	5.3	2.65	1.3
1.295	5.4	2.7	1.295
1.29	5.5	2.75	1.29
1.285	5.6	2.8	1.285
1.28	5.7	2.85	1.28
1.275	5.8	2.9	1.275
1.27	5.9	2.95	1.27
1.265	6	3	1.265
1.26	6.1	3.05	1.26
1.255	6.2	3.1	1.255
1.25	6.3	3.15	1.25
1.245	6.4	3.2	1.245
1.24	6.5	3.25	1.24
1.234	6.6	3.3	1.234
1.228	6.7	3.35	1.228
1.222	6.8	3.4	1.222
1.216	6.9	3.45	1.216
1.21	7	3.5	1.21
1.204	7.1	3.55	1.204
1.198	7.2	3.6	1.198
1.192	7.3	3.65	1.192
1.186	7.4	3.7	1.186
1.18	7.5	3.75	1.18
1.175	7.6	3.8	1.175
1.17	7.7	3.85	1.17
1.165	7.8	3.9	1.165
1.16	7.9	3.95	1.16
1.155	8	4	1.155
1.15	8.1	4.05	1.15
1.145	8.2	4.1	1.145
1.14	8.3	4.15	1.14
1.135	8.4	4.2	1.135
1.13	8.5	4.25	1.13
1.126	8.6	4.3	1.126
1.122	8.7	4.35	1.122
1.118	8.8	4.4	1.118
1.114	8.9	4.45	1.114
1.11	9	4.5	1.11
1.106	9.1	4.55	1.106
1.102	9.2	4.6	1.102
1.098	9.3	4.65	1.098
1.094	9.4	4.7	1.094
1.09	9.5	4.75	1.09
1.086	9.6	4.8	1.086
1.082	9.7	4.85	1.082
1.078	9.8	4.9	1.078
1.074	9.9	4.95	1.074
1.07	10	5	1.07
1.066	10.1	5.05	1.066
1.062	10.2	5.1	1.062
1.058	10.3	5.15	1.058
1.054	10.4	5.2	1.054
1.05	10.5	5.25	1.05
1.046	10.6	5.3	1.046
1.042	10.7	5.35	1.042
1.038	10.8	5.4	1.038
1.034	10.9	5.45	1.034
1.03	11	5.5	1.03
1.026	11.1	5.55	1.026
1.022	11.2	5.6	1.022
1.018	11.3	5.65	1.018
1.014	11.4	5.7	1.014
1.01	11.5	5.75	1.01
1.005	11.6	5.8	1.005
1	11.7	5.85	1
0.995	11.8	5.9	0.995
0.99	11.9	5.95	0.99
0.985	12	6	0.985
0.98	12.1	6.05	0.98
0.975	12.2	6.1	0.975
0.97	12.3	6.15	0.97
0.965	12.4	6.2	0.965
0.96	12.5	6.25	0.96
0.957	12.6	6.3	0.957
0.954	12.7	6.35	0.954
0.951	12.8	6.4	0.951
0.948	12.9	6.45	0.948
0.945	13	6.5	0.945
0.942	13.1	6.55	0.942
0.939	13.2	6.6	0.939
0.936	13.3	6.65	0.936
0.933	13.4	6.7	0.933
0.93	13.5	6.75	0.93
0.927	13.6	6.8	0.927
0.924	13.7	6.85	0.924
0.921	13.8	6.9	0.921
0.918	13.9	6.95	0.918
0.915	14	7	0.915
0.912	14.1	7.05	0.912
0.909	14.2	7.1	0.909
0.906	14.3	7.15	0.906
0.903	14.4	7.2	0.903
0.9	14.5	7.25	0.9
0.897	14.6	7.3	0.897
0.894	14.7	7.35	0.894
0.891	14.8	7.4	0.891
0.888	14.9	7.45	0.888
0.885	15	7.5	0.885
0.882	15.1	7.55	0.882
0.879	15.2	7.6	0.879
0.876	15.3	7.65	0.876
0.873	15.4	7.7	0.873
0.87	15.5	7.75	0.87
0.867	15.6	7.8	0.867
0.864	15.7	7.85	0.864
0.861	15.8	7.9	0.861
0.858	15.9	7.95	0.858
0.855	16	8	0.855
0.852	16.1	8.05	0.852
0.849	16.2	8.1	0.849
0.846	16.3	8.15	0.846
0.843	16.4	8.2	0.843
0.84	16.5	8.25	0.84
0.837	16.6	8.3	0.837
0.834	16.7	8.35	0.834
0.831	16.8	8.4	0.831
0.828	16.9	8.45	0.828

0.825	17	8.5	0.825
0.822	17.1	8.55	0.822
0.819	17.2	8.6	0.819
0.816	17.3	8.65	0.816
0.813	17.4	8.7	0.813
0.81	17.5	8.75	0.81
0.808	17.6	8.8	0.808
0.806	17.7	8.85	0.806
0.804	17.8	8.9	0.804
0.802	17.9	8.95	0.802
0.8	18	9	0.8
0.798	18.1	9.05	0.798
0.796	18.2	9.1	0.796
0.794	18.3	9.15	0.794
0.792	18.4	9.2	0.792
0.79	18.5	9.25	0.79
0.788	18.6	9.3	0.788
0.786	18.7	9.35	0.786
0.784	18.8	9.4	0.784
0.782	18.9	9.45	0.782
0.78	19	9.5	0.78
0.778	19.1	9.55	0.778
0.776	19.2	9.6	0.776
0.774	19.3	9.65	0.774
0.772	19.4	9.7	0.772
0.77	19.5	9.75	0.77
0.768	19.6	9.8	0.768
0.766	19.7	9.85	0.766
0.764	19.8	9.9	0.764
0.762	19.9	9.95	0.762
0.76	20	10	0.76
0.758	20.1	10.05	0.758
0.756	20.2	10.1	0.756
0.754	20.3	10.15	0.754
0.752	20.4	10.2	0.752
0.75	20.5	10.25	0.75
0.748	20.6	10.3	0.748
0.746	20.7	10.35	0.746
0.744	20.8	10.4	0.744
0.742	20.9	10.45	0.742
0.74	21	10.5	0.74
0.738	21.1	10.55	0.738
0.736	21.2	10.6	0.736
0.734	21.3	10.65	0.734
0.732	21.4	10.7	0.732
0.73	21.5	10.75	0.73
0.728	21.6	10.8	0.728
0.726	21.7	10.85	0.726
0.724	21.8	10.9	0.724
0.722	21.9	10.95	0.722
0.72	22	11	0.72
0.718	22.1	11.05	0.718
0.716	22.2	11.1	0.716
0.714	22.3	11.15	0.714
0.712	22.4	11.2	0.712
0.71	22.5	11.25	0.71
0.709	22.6	11.3	0.709
0.708	22.7	11.35	0.708
0.707	22.8	11.4	0.707
0.706	22.9	11.45	0.706
0.705	23	11.5	0.705
0.704	23.1	11.55	0.704
0.703	23.2	11.6	0.703
0.702	23.3	11.65	0.702
0.701	23.4	11.7	0.701
0.7	23.5	11.75	0.7
0.699	23.6	11.8	0.699
0.698	23.7	11.85	0.698
0.697	23.8	11.9	0.697
0.696	23.9	11.95	0.696
0.695	24	12	0.695
0.694	24.1	12.05	0.694
0.693	24.2	12.1	0.693
0.692	24.3	12.15	0.692
0.691	24.4	12.2	0.691
0.69	24.5	12.25	0.69
0.688	24.6	12.3	0.688
0.686	24.7	12.35	0.686
0.684	24.8	12.4	0.684
0.682	24.9	12.45	0.682
0.68	25	12.5	0.68
0.678	25.1	12.55	0.678
0.676	25.2	12.6	0.676
0.674	25.3	12.65	0.674
0.672	25.4	12.7	0.672
0.67	25.5	12.75	0.67
0.668	25.6	12.8	0.668
0.666	25.7	12.85	0.666
0.664	25.8	12.9	0.664
0.662	25.9	12.95	0.662
0.66	26	13	0.66
0.658	26.1	13.05	0.658
0.656	26.2	13.1	0.656
0.654	26.3	13.15	0.654
0.652	26.4	13.2	0.652
0.65	26.5	13.25	0.65
0.648	26.6	13.3	0.648
0.646	26.7	13.35	0.646
0.644	26.8	13.4	0.644
0.642	26.9	13.45	0.642
0.64	27	13.5	0.64
0.638	27.1	13.55	0.638
0.636	27.2	13.6	0.636
0.634	27.3	13.65	0.634
0.632	27.4	13.7	0.632
0.63	27.5	13.75	0.63
0.628	27.6	13.8	0.628
0.626	27.7	13.85	0.626
0.624	27.8	13.9	0.624
0.622	27.9	13.95	0.622
0.62	28	14	0.62
0.618	28.1	14.05	0.618
0.616	28.2	14.1	0.616
0.614	28.3	14.15	0.614
0.612	28.4	14.2	0.612
0.61	28.5	14.25	0.61
0.608	28.6	14.3	0.608
0.606	28.7	14.35	0.606
0.604	28.8	14.4	0.604
0.602	28.9	14.45	0.602
0.6	29	14.5	0.6
0.598	29.1	14.55	0.598
0.596	29.2	14.6	0.596
0.594	29.3	14.65	0.594
0.592	29.4	14.7	0.592
0.59	29.5	14.75	0.59
0.588	29.6	14.8	0.588
0.586	29.7	14.85	0.586
0.584	29.8	14.9	0.584
0.582	29.9	14.95	0.582
0.58	30	15	0.58
0.578	30.1	15.05	0.578
0.576	30.2	15.1	0.576
0.574	30.3	15.15	0.574
0.572	30.4	15.2	0.572
0.57	30.5	15.25	0.57
0.568	30.6	15.3	0.568
0.566	30.7	15.35	0.566
0.564	30.8	15.4	0.564
0.562	30.9	15.45	0.562
0.56	31	15.5	0.56
0.558	31.1	15.55	0.558
0.556	31.2	15.6	0.556
0.554	31.3	15.65	0.554
0.552	31.4	15.7	0.552
0.55	31.5	15.75	0.55
0.548	31.6	15.8	0.548
0.546	31.7	15.85	0.546
0.544	31.8	15.9	0.544
0.542	31.9	15.95	0.542
0.54	32	16	0.54
0.538	32.1	16.05	0.538
0.536	32.2	16.1	0.536
0.534	32.3	16.15	0.534
0.532	32.4	16.2	0.532
0.53	32.5	16.25	0.53
0.528	32.6	16.3	0.528
0.526	32.7	16.35	0.526
0.524	32.8	16.4	0.524
0.522	32.9	16.45	0.522
0.52	33	16.5	0.52
0.518	33.1	16.55	0.518
0.516	33.2	16.6	0.516
0.514	33.3	16.65	0.514
0.512	33.4	16.7	0.512
0.51	33.5	16.75	0.51
0.508	33.6	16.8	0.508
0.506	33.7	16.85	0.506
0.504	33.8	16.9	0.504
0.502	33.9	16.95	0.502
0.5	34	17	0.5
0.499	34.1	17.05	0.499

0498	41.4	20.7	0498
0497	41.6	20.8	0497
0496	41.8	20.9	0496
0495	42	21	0495
0494	42.2	21.1	0494
0493	42.4	21.2	0493
0492	42.6	21.3	0492
0491	42.8	21.4	0491
0490	43	21.5	0490
0488	43.2	21.6	0488
0486	43.4	21.7	0486
0484	43.6	21.8	0484
0482	43.8	21.9	0482
048	44	22	048
0478	44.2	22.1	0478
0476	44.4	22.2	0476
0474	44.6	22.3	0474
0472	44.8	22.4	0472
047	45	22.5	047
0469	45.2	22.6	0469
0468	45.4	22.7	0468
0467	45.6	22.8	0467
0466	45.8	22.9	0466
0465	46	23	0465
0464	46.2	23.1	0464
0463	46.4	23.2	0463
0462	46.6	23.3	0462
0461	46.8	23.4	0461
046	47	23.5	046
0458	47.2	23.6	0458
0456	47.4	23.7	0456
0454	47.6	23.8	0454
0452	47.8	23.9	0452
045	48	24	045
0448	48.2	24.1	0448
0446	48.4	24.2	0446
0444	48.6	24.3	0444
0442	48.8	24.4	0442
044	49	24.5	044

[1] Nearest reference sample via Graanbroeders

Not 100% correct, but his field does border some sand area, SOC % makes sense...